



ADAMS

Airborne Digital Audio Management System



Orbit offers you the ultimate audio management system - the ADAMS. This new generation, highly intelligible, secure Airborne Digital Audio Management System (ADAMS) was designed to meet the specific needs of advanced large crew aircraft such as commercial airlines, transportation, tanker and special mission applications.

The ADAMS is a fully digital (audio & control), secure, audio management system that integrates the routing and distribution of audio & data between crew members, maintenance crew, technicians and the host aircraft's communication data & recording systems. ADAMS supports up to 20 full capabilities users, 8 intercom only users, 16 radios and 31 receivers, 6 recording outputs, discrete and an internal intercom network.

Based on a modular, high-performance, open design, ADAMS is a COTS (Commercial-Off-The-Shelf) system, adaptable to all sorts of airborne applications (large to small platforms) to provide a complete interface as well as an advanced DSP-based voice. Providing crisp and clear audio communication, ADAMS will drive you to success.

BENEFITS

- Superior Cross-Talk isolation
- Simultaneous Red/Black (optional)
- Redundancy
- High reliability (MTBF)
- Easy installation
- Easy maintenance

KEY FEATURES

- Extended Built-In-Test mode
- Unlimited number of private intercom nets
- Night Vision Goggles (NVG) compatible (optional)
- VOX capabilities
- Emergency & Backup modes
- Individual volume control
- Communication plan programming
- Digital recording (E1/T1 Line)
- Interface to digital radio
- External Crypto equipment support (optional)
- Wireless headset (optional)
- Radio relay & switching
- Built-in Voice Message Unit
- SELCAL (optional)
- TSO certified
- Intl. TEMPEST approved (optional)

Specializing in the delivery of communication management systems for over 40 years, Orbit pioneered the industry's shift to digital communications technology. Our dedicated 24/7 service team delivers high levels of service and responsiveness to both customers and partners. With over 1,800 installations worldwide, Orbit's solutions are deployed on myriad platforms including the C-130, KC-135, King Air 350, P-3, F-15, F-16, MIG 21, CH-53, Mil 8, T-38 and more. Orbit's customers consist of many of the world's aviation leaders, such as Airbus Military, Boeing, Lockheed Martin, Rockwell Collins, Embraer, Gulfstream and Bombardier. Our proven CMS product offerings are certified to meet the stringent standards and specifications of the most demanding users, including the US Navy and US Customs and Border Protection agency.

ADAMS System Specifications

AMU (Audio Management Unit)		Harmonic Distortion	<3%	Dimensions	
Power Requirements: Input Power	18-32V	Noise Level - No Signal	>60dB	AMU	Weight: 11.8 Lb Height: 7.62 In Width: 4.88 In Depth: 12.62 In
Power Dissipation: AMU ACP EDACP ICP	45W 17W 8W 11W	Cross-Talk Isolation	100dB at 1KHz	ACP (5 rows/7 rows)	Weight: 3.5 Lb/4.6 Lb Height: 3.375 In/4.5 In Width: 5.75 In/5.75 In Depth: 5.244 In/5.244 In
Signal Levels Reception: Radio NAV Warning	200mV 13Vrms 200mV 13Vrms 200mV 13Vrms	AGC: Attack Time Release Time	<50 msec 1.5±1 sec	EDACP	Weight: 1.8 Lb Height: 1.875 In Width: 5.75 In Depth: 5.25 In
Impedance: Receive Transmit	150/600 Ohm 150/600 Ohm	VOX: Attack Time Release Time	<50 msec 1.5±1 sec	ICP	Weight: 1.5 Lb Height: 5.44 In Width: 3.49 In Depth: 3.5 In
Frequency Response	3dB@300Hz-6KHz	Reliability AMU-MTBF ACP-MTBF EDACP-MTBF	10,500 hours 22,500 hours 30,000 hours		
		Standards/Tests Environmental & EMI Tests	Per DO-160D		

